CONTENTS OF VOLUME 29

Articles

BAGCHI, BHASKAR AND BAGCHI, SUNANDA. Optimality of partial	
geometric designs	577-594
BAGCHI, SUNANDA AND BAGCHI, BHASKAR. Optimality of partial	
geometric designs	577-594
BANERJEE, MOULINATH AND WELLNER, JON A. Likelihood ratio	
tests for monotone functions	1699-1731
BARAUD, Y., COMTE, F. AND VIENNET, G. Adaptive estimation in	
autoregression or $\beta\text{-mixing}$ regression via model selection	839-875
BENJAMINI, YOAV AND YEKUTIELI, DANIEL. The control of the	
false discovery rate in multiple testing under dependency	1165-1188
Beran, Rudolf. Discussion of "Local extremes, runs, strings,	
and multiresolution" by P. L. Davies and A. Kovac	48 - 52
Berrendero, José R. and Zamar, Ruben H. Maximum bias	
curves for robust regression with non-elliptical regressors	224 - 251
BLOZNELIS, M. AND GÖTZE, F. Orthogonal decomposition of	
finite population statistics and its applications to distribu-	
tional asymptotics	899–918
Breidt, F. Jay, Davis, Richard A. and Trindade, A. Alexandre.	
Least absolute deviation estimation for all-pass time series	
models	919–946
Brooks, S. Pand King, R. Prior induction in log-linear models	
for general contingency table analysis	715–747
CAROLAN, CHRIS AND DYKSTRA, RICHARD. Marginal densities of	1000 1000
the least concave majorant of Brownian motion	1732–1750
CHANG, TED AND RIVEST, LOUIS-PAUL. M-estimation for location	
and regression parameters in group models: A case study	784-814
using Stiefel manifolds	104-014
the empirical process of residuals in linear models with	
many parameters	748-762
CHENG, CHING-SHUI AND MUKERJEE, RAHUL. Blocked regular	140-102
fractional factorial designs with maximum estimation capac-	
ity	530-548
CLARKE, B. AND YUAN, A. Manifest characterization and testing	000 010
for certain latent properties	876-898
Comte, F., Viennet, G. and Baraud, Y. Adaptive estimation in	0,0 000
autoregression or β-mixing regression via model selection	839-875
DAVIES, P. L. AND KOVAC, A. Local extremes, runs, strings and	
multiresolution	1-47
DAVIES, P. L. AND KOVAC, A. Rejoinder	61-65
DAVIS, RICHARD A., TRINDADE, A. ALEXANDRE AND BREIDT, F. JAY.	
Least absolute deviation estimation for all-pass time series	
models	919-946

DE HAAN, LAURENS, PITERBARG, VLADIMIR I. AND EINMAHL, JOHN H. J., Nonparametric estimation of the spectral measure of	
an extreme value distribution	1401-1423
Delgado, Miguel A. and Manteiga, Wenceslao González.	
Significance testing in nonparametric regression based on	
the bootstrap	1469-1507
Dette, Holger and Franke, Tobias. Robust designs for polynomial regression by maximizing a minimum of D - and D_1 -	
efficiencies	1024-1049
DETTE, HOLGER AND NEUMEYER, NATALIE. Nonparametric	
analysis of covariance	1361-1400
DI BUCCHIANICO, ALESSANDRO, EINMAHL, JOHN H. J. AND	
MUSHKUDIANI, NINO A. Smallest nonparametric tolerance	
regions	1320–1343
DREES, HOLGER. Minimax risk bounds in extreme value	
theory	266–294
DÜMBGEN, LUTZ. Discussion of "Local extremes, runs, strings,	W 0 W 1
and multiresolution" by P. L. Davies and A. Kovac	52–54
DÜMBGEN, LUTZ AND SPOKOINY, VLADIMIR G. Multiscale testing	104 150
of qualitative hypotheses	124–152
of the least concave majorant of Brownian motion	1790 1750
EFRON, BRADLEY. Selection criteria for scatterplot smooth-	1732–1750
ers	470-504
EINMAHL, JOHN H. J., DE HAAN, LAURENS AND PITERBARG, VLADIMIR	470-504
I. Nonparametric estimation of the spectral measure of an	
extreme value distribution	1401-1423
EINMAHL, JOHN H. J., MUSHKUDIANI, NINO A. AND DI BUCCHIANICO,	1401-1420
ALESSANDRO. Smallest nonparametric tolerance regions.	1320-1343
FAN, JIANQING, ZHANG, CHUNMING AND ZHANG, JIAN. Generalized likelihood ratio statistics and Wilks phenome-	1020 1010
non	153-193
FINDLEY, DAVID F., PÖTSCHER, BENEDIKT M. AND WEI, CHING-ZONG. Uniform convergence of sample second moments of families	
of time series arrays	815-838
Fraiman, Ricardo, Yohai, Victor J. and Zamar, Reuben H.	
Optimal robust <i>M</i> -estimates of location	194–223
Franke, Tobias and Dette, Holger. Robust designs for polynomial regression by maximizing a minimum of D - and D_1 -	
efficiencies	1024-1049
FRIEDMAN, JEROME H. Greedy function approximation: A gra-	1100 1000
dient boosting machine	1189-1232
Galtchouk, L. and Konev, V. On sequential estimation of parameters in semimartingale regression models with con-	
tinuous time parameter	1508-1536
unuous ume parameter	1909-1930

Geiger, Dan, Heckerman, David, King, Henry and Meek, Christopher. Stratified exponential families: Graphical	
models and model selection	505-529
	1264–1280
mation for mixtures of normal densities	1233–1263
complex longitudinal data: the continuous case	1785–1811
mation of parametric spectral density with unknown pole Goldenshluger, A. and Tsybakov, A. Adaptive prediction and esti-	987-1023
mation in linear regression with infinitely many paramters Goldenshluger, Alexander and Zeevi, Assaf. Nonasymptotic	1601–1619
bounds for autoregressive time series modeling GÖTZE, F. AND BLOZNELIS, M. Orthogonal decomposition of finite population statistics and its applications to distribu-	417–444
tional asymptotics	899–918
"invelope" of integrated Brownian motion $+ t^4$	1620–1652
asymptotic theory	1653–1698
an extreme value distribution	1401–1423
regression subject to monotonicity constraints	624–647
widths	1443-1468
and multiresolution" by P. L. Davies and A. Kovac	54–56
models and model selection	505-529
mation of parametric spectral density with unknown pole HOLST, M. AND IRLE, A.Nearest neighbor classification with	87–1023
dependent training sequences	1424–1442
Empirical process of the squared residuals of an ARCH sequence	445-469

HRISTACHE, MARIAN, JUDITSKY, ANATOLI AND SPOKOINY, VLADIMIR. Direct estimation of the index coefficient in a single-index	
model	595-623
HRISTACHE, MARIAN, JUDITSKY, ANATOLI, POLZEHL, JÖRG AND SPOKOINY, VLADIMIR. Structure adaptive approach for	
dimension reduction	1537-1566
HUANG, LI-SHAN AND HALL, PETER. Nonparametric kernel	CO4 C47
regression subject to monotonicity constraints	624–647
models and heteroscedastic polynomial models	561-576
IMHOF, LORENS A. AND STUDDEN, WILLIAM J. E-optimal designs	
for rational models	763-783
IRLE, A. AND HOLST, M.Nearest neighbor classification with	1404 1440
dependent training sequences	1424–1442
Consistent estimation of mixture complexity	1281-1296
JIANG, JIMING. Goodness-of-fit tests for mixed model diagnos-	
tics	1137–1164
JOHNSTONE, IAIN M. On the distribution of the largest eigen-	005 005
value in principal components analysis	295–327
canonical process for estimation of convex functions: the	
"invelope" of integrated Brownian motion + t^4	1620 - 1652
Jongbloed, Geurt, Wellner, Jon A. and Groeneboom, Piet.	
Estimation of a convex function: characterizations and	1070 1000
asymptotic theory JUDITSKY, ANATOLI, POLZEHL, JÖRG, SPOKOINY, VLADIMIR AND	1653–1698
HRISTACHE, MARIAN. Structure adaptive approach for	
dimension reduction	1537-1566
Juditsky, Anatoli, Spokoiny, Vladimir and Hristache, Marian.	
Direct estimation of the index coefficient in a single-index model	595-623
KANG, KEE-HOON AND HALL, PETER. Bootstrapping nonpara-	030-020
metric density estimators with empirically chosen band-	
widths	1443-1468
KARLSEN, HANS ARNFINN AND TJØSTHEIM, DAG. Nonparametric	070 410
estimation in null recurrent time series	372–416
for constrained <i>M</i> -estimates and redescending <i>M</i> -estimates	252-265
KIM, YONGDAI AND LEE, JAEYONG. On posterior consistency of	
survival models	666-686
KING, HENRY, MEEK, CHRISTOPHER, GEIGER, DAN AND HECKERMAN,	
DAVID. Stratified exponential families: Graphical models and model selection	505-529
KING, R. AND BROOKS, S. P. Prior induction in log-linear mod-	000 020
els for general contingency table analysis	715-747

KLEMELÄ, JUSSI AND TSYBAKOV, ALEXANDRE B. Sharp adaptive	4805 4000
estimation of linear functionals	1567–1600
Empirical process of the squared residuals of an ARCH	
Sequence	445–469
parameters in semimartingale regression models with con-	
tinuous time parameter	1508-1536
KOVAC, A. AND DAVIES, P. L. Local extremes, runs, strings and	2000 2000
multiresolution	1-47
KURIKI, SATOSHI AND TAKEMURA, AKIMICHI. Tail probabilities of the maxima of multilinear forms and their applica-	
tions	328-371
Lee, Jaeyong and Kim, Yongdai. On posterior consistency of	
survival models	666–686
Separation and completeness properties for AMP chain	1551 1504
graph Markov models	1751–1784
the empirical process of residuals in linear models with	
many parameters	748-762
MADIGAN, DAVID, LEVITZ, MICHAEL AND PERLMAN, MICHAEL D.	
Separation and completeness properties for AMP chain	
graph Markov models	1751-1784
Mammen, Enno and van de Geer, Sara. Discussion of "Local	
extremes, runs, strings, and multiresolution" by P. L. Davies	50 50
and A. Kovac	56–59
Significance testing in nonparametric regression based on	
the bootstrap	1469-1507
MARCHAND, ÉRIC AND PERRON, FRANÇOIS. Improving on the	
MLE of a bounded normal mean	1078-1093
MARCHETTE, DAVID J., JAMES, LANCELOT F. AND PRIEBE, CAREY E.	1001 1000
Consistent estimation of mixture complexity	1281–1296
nonstationary processes	947-986
MARRON, J. S. Discussion of "Local extremes, runs, strings,	011 000
and multiresolution" by P. L. Davies and A. Kovac	59-60
MEEK, CHRISTOPHER, GEIGER, DAN, HECKERMAN, DAVID AND KING,	
Henry. Stratified exponential families: Graphical models	
and model selection	505-529
MUKERJEE, RAHUL AND CHENG, CHING-SHUI. Blocked regular frac- tional factorial designs with maximum estimation capacity	530-548
Mushkudiani, Nino A., Di Bucchianico, Alessandro and	000-048
EINMAHL, JOHN H. J. Smallest nonparametric tolerance	
regions	1320-1343

NEUMEYER, NATALIE AND DETTE, HOLGER. Nonparametric	
analysis of covariance	1361–1400
for calculating Γ -minimax decision rules under generalized	
moment conditions	1094–1116
PATILEA, VALENTIN. Convex Models, MLE and misspecifica-	04 100
tion	94–123
Separation and completeness properties for AMP chain	
graph Markov models	1751-1784
Perron, François and Marchand, Éric. Improving on the	2.02 2.02
MLE of a bounded normal mean	1078-1093
PITERBARG, VLADIMIR I., EINMAHL, JOHN H. J. AND DE HAAN,	
Laurens. Nonparametric estimation of the spectral mea-	
sure of an extreme value distribution	1401–1423
POLZEHL, JÖRG, SPOKOINY, VLADIMIR, HRISTACHE, MARIAN AND	
JUDITSKY, ANATOLI. Structure adaptive approach for dimension reduction	1537-1566
PÖTSCHER, BENEDIKT M., WEI, CHING-ZONG AND FINDLEY, DAVID F.	1007-1000
Uniform convergence of sample second moments of families	
of time series arrays	815-838
PRIEBE, CAREY E., MARCHETTE, DAVID J. AND JAMES, LANCELOT F.	
Consistent estimation of mixture complexity	1281–1296
RIVEST, LOUIS-PAUL AND CHANG, TED. <i>M</i> -estimation for location and regression parameters in group models: A case study	
using Stiefel manifolds	784-814
ROBINS, JAMES M. AND GILL, RICHARD D. Causal inference for	101 011
complex longitudinal data: the continuous case	785-1811
ROBINSON, P. M. AND MARINUCCI, D. Narrow-band analysis of	
nonstationary processes	947-986
ROBINSON, P. M., GIRAITIS, L. AND HIDALGO, J. Gaussian esti-	007 1009
mation of parametric spectral density with unknown pole RUCKSTUHL, A. F. AND WELSH, A. H. Robust fitting of the bino-	987–1023
mial model	1117-1136
SCHEIKE, THOMAS H. A generalized additive regression model	
for survival times	1344-1360
SEIDEL, WILFRIED AND NOUBIAP, ROGER FANDOM. An algorithm	
for calculating Γ-minimax decision rules under generalized	1004 1110
moment conditions	1094–1116
of posterior distributions	687-714
SHOUNG, JYH-MING AND ZHANG, CUN-HUI. Least squares esti-	001 111
mators of the mode of a unimodal regression function	648-665
SPOKOINY, VLADIMIR G. AND DÜMBGEN, LUTZ. Multiscale testing	
of qualitative hypotheses	124 - 152

ix

Spokoiny, Vladimir, Hristache, Marian and Juditsky, Anatoli. Direct estimation of the index coefficient in a single-index	
model	595-623
POLZEHL, JÖRG. Structure adaptive approach for dimension reduction	1537-1566
designs for testing in logistic regression	1050-1057
for rational models	763–783
the maxima of multilinear forms and their applications TAUPIN, MARIE-LUCE. Semi-parametric estimation in the non-	328-371
linear structural errors-in-variables model	66–93
sequence	445-469
TJØSTHEIM, DAG AND KARLSEN, HANS ARNFINN. Nonparametric estimation in null recurrent time series	372–416
Least absolute deviation estimation for all-pass time series models	919–946
ters	1601–1619
estimation of linear functionals	1567–1600
designs for testing in logistic regression	1050-1057
for constrained M-estimates and redescending M-estimates VAN DE GEER, SARA AND MAMMEN, ENNO. Discussion of "Local	252–265
extremes, runs, strings and multiresolution" by P. L. Davies and A. Kovac	56-59
rates of convergence for maximum likelihood and Bayes estimation for mixtures of normal densities	1233-1263
Viennet, G., Baraud, Y. and Comte, F. Adaptive estimation in autoregression or $\beta\text{-mixing regression}$ via model selection	839–875
Voss, Daniel T. and Wang, Weizhen. Control of error rates in adaptive analysis of orthogonal saturated designs	1058-1065
Walther, Guenther. Multiscale maximum likelihood analysis of a semiparametric model, with applications	1297-1319
WANG, WEIZHEN AND VOSS, DANIEL T. Control of error rates in adaptive analysis of orthogonal saturated designs	1058-1065

X INDEX

Wasserman, Larry and Shen, Xiaotong. Rates of convergence of posterior distributions	687–714
Wei, Ching-Zong, Findley, David F. Pötscher and Benedikt M. Uniform convergence of sample second moments of families	015 000
of time series arrays	815–838
tests for monotone functions	1699–1731
A canonical process for estimation of convex functions: the "invelope" of integrated Brownian motion $+ t^4 \dots \dots$	1620-1652
Wellner, Jon A., Groeneboom, Piet and Jongbloed, Geurt. Estimation of a convex function: characterizations and	
asymptotic theory	1653–1698
mial model	1117–1136
ration for asymmetrical fractional factorial designs Xu, Hongquan and Wu, C. F. J. Generalized minimum aber-	1066-1077
ration for asymmetrical fractional factorial designs Yekutieli, Daniel and Benjamini, Yoav. The control of the	1066-1077
false discovery rate in multiple testing under dependency Yohai, Victor J., Zamar, Reuben H. and Fraiman, Ricardo.	165–1188
Optimal robust M-estimates of location	194–223
Yuan, A. and Clarke, B. Manifest characterization and testing for certain latent properties	876–898
curves for robust regression with non-elliptical regressors Zamar, Reuben H., Fraiman, Ricardo and Yohai, Victor J.	224-251
Optimal robust <i>M</i> -estimates of location	194–223
bounds for autoregressive time series modeling	417-444
ZHANG, CHUNMING, ZHANG, JIAN AND FAN, JIANQING. Generalized likelihood ratio statistics and Wilks phenome-	
non	153–193
mators of the mode of a unimodal regression function ZHANG, JIAN, FAN, JIANQING AND ZHANG, CHUNMING. General-	648–665
ized likelihood ratio statistics and Wilks phenomenon	153-193

